

An aerial photograph of a vast desert landscape under a blue sky with scattered clouds. In the foreground and middle ground, a large number of transparent polycarbonate domes are arranged in rows on a body of water. Each dome is mounted on a wooden platform and is surrounded by blue water. The domes are connected by a network of wooden walkways. In the background, a small town is visible on the left, and a range of mountains stretches across the horizon. The overall scene is a mix of natural beauty and human-made structures.

360° Transparent Polycarbonate Domes

Catalog

CONTENTS

01. Company Introduction.....	Page 3
02. About us	Page 4
03. Product Introduction	Page 5
04. Our Advantages	Page 6
05. Product Advantages	Page 7
06. Design Proposal	Page 8
07. Product Series.....	Page 9 - 4 3
08. Product Applications	Page 44-45
09. Customized Products and Projects ...	Page 4 6

Company+ + +

Guangzhou Wenets Decoration Materials Co., Ltd. is located in the national high-tech industry core park of Foshan City, China. Wenets company focuses on one-stop indoor and outdoor sunshade projects for hotel apartments and villas projects, having over 5 years experience in producing outdoor windproof curtain, telescopic canopy, canopy curtain, indoor electric curtain and other high-end intelligent products.

Our factory has 1500sqm workshop and various professional machines including aluminum cutting machine, fabric hot stamping machine, fabric cutting machine and other professional machines.

We look forward to working with customers all over the world to create a better future.

About this product-

“Live in the scenery and let nature be the guest bedroom” . 100% transparent design, 360° viewing experience without dead ends. Users can feel the surrounding mountains, rivers, lakes, seas, and vast stars without leaving home.

We rely on:

years of material research and design and processing advantages to continuously upgrade and optimize the living experience, aiming to provide an outdoor lifestyle that lives in harmony with nature and poetic living.




More about our team+ + +

We're a manufacturing and industrial company from Guangzhou city, China, specializing in the design, production and sales of transparent PC Dome House. We currently has a professional team, including landscape planning department, industrial design department, structural design department, mold design and other design and development personnel.

The factory's workshop area is with various advanced integrated thermoforming equipment, CNC five-axis engraving machine, Constant temperature and humidity equipment, aluminum bending and finishing and other equipment. After years of precipitation and development, company has become a comprehensive service provider of transparent PC domes products in the global market!

We are the only factory that can produce the D9.0M and D10M Clear PC Domes in China!



Product Introduction + + +

Our most hot-sale series is HSDOMES: it is a brand-new characteristic dome house product that we have created.

The product structure does not contain a metal supporting frame and has a 360-degree transparent view.

The main material of the product adopts imported polycarbonate (basic material of bullet-proof glass and explosion-proof shield) and aviation aluminum profile, which has high safety and strong protection. It can safely avoid snakes, insects, ants, and large beasts in the wild.

At the same time, the product adopts modular assembly design, the installation and disassembly process is simple and fast, and the on-site assembly cost is low.

Now HSDOMES has a variety of specifications such as diameters of 2.1M, 3.3M, 4M, 5M, 9M, and products of different specifications can be spliced and combined with each other. The product is highly flexible and can meet the application needs of multiple scenarios.



Our Advantages +++



Experience in Over 1000 Projects

Our factory is the first manufacturer in China to develop Clear PC Domes. We have served more than 1,000 customers worldwide, and have rich experience in the implementation of large projects. The projects have been implemented in China: 200pcs of Five Stars Dome House in Alxa, 72 sets of 5.0+2. 1M PC Domes in Chaka Salt Lake, 24 sets of 5.3+2. 1M PC Domes in Aba Prefecture, 60pcs of 3.0M PC Domes in Wugong Mountain, etc.



More Than 10 Design Teams

With a mature technical appearance and landscape planning and design team, we can provide customers with overall planning, market positioning and other services in the early stage of the project. In the middle of the project, we can provide customers with indoor decoration supporting reference to assist customers in the implementation of the overall project. Customized product design services can be also provided.



15 Years of Manufacturing & Processing Experience!


We have 15 years of experience in processing and manufacturing, and are one of the first batch of manufacturers engaged in PC blister thermoforming in the industry. We have the largest fully automatic blister equipment in China, and many years of processing and manufacturing experience to ensure the high quality of the finished products of PC Domes.



International Team. Quality Service to the World!

We have an international service team, and the core personnels have 10 years of foreign trade experience. The products have been exported to the United States, Canada, France, Norway, Australia, Turkey, Japan and other countries, and got highly praise among the customers!

Product Advantages +++



Detachable, Movable, High Flexibility!

The Clear PC Dome belongs to a transparent movable tent, which does not occupy construction land and does not require construction indicators. The installation is easy and fast with the excellent structure design. It can be built in some alpine areas where there cranes can not reach!

Selected Materials, Exquisite Workmanship

The transparent part is made of polycarbonate material imported from Bayer, Germany, with double-sided UV coating, strong weather resistance and long service life.

The aluminum part is made of aviation aluminum, integrated drawing and bending process. The doors and windows are double-sealed, suitable for outdoor applications. It's wind/ water/ sand/ mosquito- proof!

Perfect Detail Design

Perfect bathroom solution with an integrated SMC bathroom floor. There is no need to lay floor tiles, overall waterproof and easy construction. The outer RGB LED Strip Light adopts aluminum backplane with the overall snap splicing method, it's easy to install and maintain.

The aluminum alloy base comes with special weak current Wire trough, hidden wires, simple and beautiful.

Multiple Thermal Insulation Solutions

It can be upgraded with a infrared resistance PC material, the temperature difference is 5° C lower than that of ordinary imported PC material. The whole dome is equipped with an air-in and out-air exchange system to actively circulate the indoor air, and the new patented sunshade canopy is also optional.

Design Proposal +++

We have a professional design team, which can carry out corresponding scheme design according to the size of the camping or glamping site and project requirements provided by you.

At the same time, according to the actual environment, the design team can also provide exquisite rendering photos so that you can understand the actual effect of the project after completion.



HSdomes Series Polycarbonate Domes





Basic Parameters

Size: $\varnothing 2.20\text{M} \times \text{H}2.57\text{M}$	Area: 3.1m ²
Propasal Application: Restaurant / Bathroom	N.W.: 130Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 1 Set
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* Power connection box	* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double- sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063 -T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: ϕ 3.0M*H2.55M	Area: 7.45m
Propasal Application: Camping / Restaurant	N.W.: 200Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 1 Set
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* D2. 1M Bathroom Dome	* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

HSdomes 3.5A



Basic Parameters

Size: φ3.48M*H2.7M

Area: 9.2m

Propasal Application: Camping / Restaurant	N.W.: 220Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set

Alu. Alloy Base: 1 Set

Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 1 Set
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* D2. 1M Bathroom Dome	* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: ϕ 3.96M*H2.92M	Area: 11.5m
Propasal Application: Camping / Restaurant	N.W.: 280Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 1 Set
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* D2. 1M Bathroom Dome	* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

HSdomes 4.5A



Basic Parameters

Size: φ4.50M*H3.2M	Area: 15.6m
Propasal Application: Camping / Restaurant	N.W.: 350Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 1 Set
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* D2. 1M Bathroom Dome / Built-in Bathroom	* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: φ5.37M*H3.5M	Area: 21.9m
Propasal Application: Camping / Restaurant	N.W.: 475Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 1 Set
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* D2. 1M Bathroom Dome / Built-in Bathroom	* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: ϕ 6. 18M*H3.8M	Area: 29.2m
Propasal Application: Camping / Restaurant	N.W.: 600Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 1 Set
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* D2. 1M Bathroom Dome / Built-in Bathroom	* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

Double-layer Hollow D6.2M



Basic Parameters

Size: φ6.2m x H 3.68m

Area: 28m²

Propasal Application: Camping Bedroom

N.W.: 650Kg

Main Material: PC + Alu.

Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set

Alu. Alloy Base: 1 Set

Alu. Door with Mechanical Lock: 1 Set

Arched Rainproof Porch: 1 Set

Top Alu. Alloy Connecting Ring: 1 Set

Installation Kits: 1 Set

RGB LED Lighting: 1 Set

Base LED Lighting: 1 Set

Exhaust Fan: 1 Set

Power connection box: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* Window Screen for the Window

* Sanitary ware

* Integrated Bathroom

* Interior flooring

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

More suitable for extremely cold regions!



Basic Parameters

Size: ϕ 7.15M*H4.5M	Area: 39.2m
Propasal Application: Camping / Restaurant	N.W.: 780Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 3 Sets
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* D2. 1M Bathroom Dome / Built-in Bathroom	* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: φ10M*H6.0M	Area: 78.5m / 150m
Propasal Application: Camping / Restaurant	N.W.: 3000Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 9 Sets (2 Floors)
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* The Second Floor Platform	* Electric Curtain System
* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* D2. 1M Bathroom Dome / Built-in Bathroom	* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: $\varnothing 3.96\text{M} \times \text{H}2.92\text{M} + \varnothing 2.1\text{M} \times \text{H}2.57\text{M}$	Area: 11.5m + 3.1m
Propasal Application: Camping / Glamping	N.W.: 280 + 150Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 2 Sets	Alu. Alloy Base: 2 Sets
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 2 Sets
Top Alu. Alloy Connecting Ring: 2 Sets	Installation Kits: 1 Set
Connecting Part with Alu. Door: 1 Set	

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock

* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: $\phi 5.37\text{M} \times \text{H}3.5\text{M} + \phi 2.1\text{M} \times \text{H}2.57\text{M}$	Area: $21.9\text{m}^2 + 3.1\text{m}^2$
Propasal Application: Camping / Glamping	N.W.: $350 + 150\text{Kg}$
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 2 Sets	Alu. Alloy Base: 2 Sets
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 2 Sets
Top Alu. Alloy Connecting Ring: 2 Sets	Installation Kits: 1 Set
Connecting Part with Alu. Door: 1 Set	

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock

* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: $\varnothing 4.50\text{M} \times \text{H}3.2\text{M} + \varnothing 2.1\text{M} \times \text{H}2.57\text{M}$ Area: 15.6m + 3.1m

Propasal Application: Camping / Glamping	N.W.: 475 + 150Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 2 Sets Alu. Alloy Base: 2 Sets

Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 2 Sets
Top Alu. Alloy Connecting Ring: 2 Sets	Installation Kits: 1 Set
Connecting Part with Alu. Door: 1 Set	

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock

* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

HSdomes 4.5 + 3.5 + 2.1



Basic Parameters

Size: $\varnothing 4.50 \times H 3.2M + \varnothing 3.48 \times H 2.7M + \varnothing 2.1 \times H 2.57M$ Area: $15.6 + 9.2 + 3.1m$

Propasal Application: Camping / Glamping	N.W.: $350 + 220 + 150Kg$
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 3 Sets	Alu. Alloy Base: 3 Sets
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 4 Sets
Top Alu. Alloy Connecting Ring: 3 Sets	Installation Kits: 1 Set
Connecting Part with Alu. Door: 2 Sets	

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock

* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

HSdomes 5.3 + 4.5 + 2.1



Basic Parameters

Size: $\varnothing 5.37 \times H3.5M + \varnothing 4.50 \times H3.2M + \varnothing 2.1 \times H2.57M$ Area: 21.9 + 15.6 + 3.1m

Propasal Application: Camping / Glamping	N.W.: 475 + 350 + 150Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 3 Sets	Alu. Alloy Base: 3 Sets
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 4 Sets
Top Alu. Alloy Connecting Ring: 3 Sets	Installation Kits: 1 Set
Connecting Part with Alu. Door: 2 Sets	

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock

* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

HSdomes 4.5 + 4.5 + 2.1



Basic Parameters

Size: $\varphi 4.5 \times H 3.2 M + \varphi 4.5 \times H 3.2 M + \varphi 2.1 \times H 2.57 M$	Area: $15.6 + 15.6 + 3.1 m$
Proposal Application: Camping / Glamping	N.W.: $350 + 350 + 150 Kg$
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 3 Sets	Alu. Alloy Base: 3 Sets
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 4 Sets
Top Alu. Alloy Connecting Ring: 3 Sets	Installation Kits: 1 Set
Connecting Part with Alu. Door: 2 Sets	

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting	* Base LED Lighting
* Exhaust Fan	* Window Screen for the Door
* Window Screen for the Window	* Electronic Lock
* Infrared Resistance PC Body	

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

ALdome-3.5



Basic Parameters

Size: φ3.5M*H2.56M	Area: 9.2m
Propasal Application: Camping / Restaurant	N.W.: 300Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Frame: 1 Set
Alu. Door with Mechanical Lock: 1 Set	
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting
* Exhaust Fan
* Electronic Lock
* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

ALdome-4.6



Basic Parameters

Size: ϕ 4.6M*H2.98M	Area: 15.8m
Propasal Application: Camping / Restaurant	N.W.: 400Kg
Main Material: PC + Alu.	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Frame: 1 Set
Alu. Door with Mechanical Lock: 1 Set	
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Curtain System - Manual or electric version optional

* RGB LED Lighting
* Exhaust Fan
* Electronic Lock
* Infrared Resistance PC Body

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

Slidingdoor Series Polycarbonate Domes



Slidingdoor D3.5

Basical Specifications:

Size: $\varnothing 3.5\text{M} \times \text{H}2.7\text{M}$

Inner diameter of the base: $\varnothing 3.5\text{M}$

Area: 9.6m^2

Main Material: Imported Polycarbonate from Bayer, Germany
Alu. Alloy Frame and Base with anodizing treatment

Sliding Door: 6063-T5 aluminum alloy with anodizing treatment

Exhaust Fan: Gear adjustable. AC 200-240V / AC110V.


Propasal application: Restaurant, Coffee Shop, Sunroom / Solarium,
Pool / Spa Cover, etc.

Warranty: 5 Years warranty for PC & aluminum profile



Basic Configurations:

- * Main PC Dome with Aluminum Alloy Base: 1 Set
- * Sliding Door: 1 Set
- *Curtain System with Necessary Installation Kits: 1 Set
- * SMD5050 RGB LED Lighting & SMD2835 Warm White Base LED Lighting: 1 Set
- * Installation Kits: 1 Set
- * Exhaust Fan 1 Set



Slidingdoor D4.0

Basical Specifications:

Size: $\varnothing 4.0\text{M} \times \text{H}2.9\text{M}$

Inner diameter of the base: $\varnothing 4.0\text{M}$

Area: 12.5m^2

Main Material: Imported Polycarbonate from Bayer, Germany
Alu. Alloy Frame and Base with anodizing treatment

Sliding Door: 6063-T5 aluminum alloy with anodizing treatment

Exhaust Fan: Gear adjustable. AC 200-240V / AC110V.


Propasal application: Restaurant, Coffee Shop, Sunroom / Solarium,
Pool / Spa Cover, etc.

Warranty: 5 Years warranty for PC & aluminum profile



Below items were all included in above prices:

- * Main PC Dome with Aluminum Alloy Base: 1 Set
- * Sliding Door: 1 Set
- * Exhaust Fan 1 Set
- *Curtain System with Necessary Installation Kits: 1 Set
- * SMD5050 RGB LED Lighting & SMD2835 Warm White Base LED Lighting: 1 Set
- * Installation Kits: 1 Set



Slidingdoor D4.5

Basical Specifications:

Size: $\varnothing 4.5\text{M} \times \text{H}3.2\text{M}$

Inner diameter of the base: $\varnothing 4.5\text{M}$

Area: 15.9m^2

Main Material: Imported Polycarbonate from Bayer, Germany
Alu. Alloy Frame and Base with anodizing treatment

Sliding Door: 6063-T5 aluminum alloy with anodizing treatment

Exhaust Fan: Gear adjustable. AC 200-240V / AC110V.


Propasal application: Restaurant, Coffee Shop, Sunroom / Solarium,
Pool / Spa Cover, etc.

Warranty: 5 Years warranty for PC & aluminum profile



Below items were all included in above prices:

- * Main PC Dome with Aluminum Alloy Base: 1 Set
- * Sliding Door: 1 Set
- * Curtain System with Necessary Installation Kits: 1 Set
- * SMD5050 RGB LED Lighting & SMD2835 Warm White Base LED Lighting: 1 Set
- * Installation Kits: 1 Set
- * Exhaust Fan 1 Set



Slidingdoor L4071

Basical Specifications:

Size: L7.1*W4.0*H2.9M

Area: 25m²

Main Material: Imported Polycarbonate from Bayer, Germany
Alu. Alloy Frame and Base with anodizing treatment

Sliding Door: 6063-T5 aluminum alloy with anodizing treatment

Exhaust Fan: Gear adjustable. AC 200-240V / AC110V.

Propasal application: Restaurant, Coffee Shop, Sunroom / Solarium,
Pool / Spa Cover, etc.

Warranty: 5 Years warranty for PC & aluminum profile



Below items were all included in above prices:

- * **Main PC Dome with Aluminum Alloy Base:** 1 Set
- * **Sliding Door:** 1 Set
- * **Exhaust Fan** 1 Set
- * **Curtain System with Necessary Installation Kits:** 1 Set
- * **SMD5050 RGB LED Lighting & SMD2835 Warm White Base LED Lighting:** 1 Set
- * **Installation Kits:** 1 Set



16-18 People
Restaurant

Slidingdoor L4576

Basical Specifications:

Size: L7.6*W4.5*H3.0M

Area: 32m²

Main Material: Imported Polycarbonate from Bayer, Germany
Alu. Alloy Frame and Base with anodizing treatment

Sliding Door: 6063-T5 aluminum alloy with anodizing treatment

Exhaust Fan: Gear adjustable. AC 200-240V / AC110V.

Propasal application: Restaurant, Coffee Shop, Sunroom / Solarium,
Pool / Spa Cover, etc.

Warranty: 5 Years warranty for PC & aluminum profile



Below items were all included in above prices:

- * **Main PC Dome with Aluminum Alloy Base:** 1 Set
- * **Sliding Door:** 1 Set
- * **Exhaust Fan** 1 Set
- ***Curtain System with Necessary Installation Kits:** 1 Set
- * **SMD5050 RGB LED Lighting & SMD2835 Warm White Base LED Lighting:** 1 Set
- * **Installation Kits:** 1 Set



20-22 People
Restaurant

HSdomes-Capsule Series Polycarbonate Domes





Basic Parameters

Size: L5000 * W3500 * H 2700mm

Area: 15 m

Proposal Application: Restaurants / Cooffe Shop

Main Material: PC + Alu.

Platform size: L6500*W4500mm

Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set

Alu. Alloy Base: 1 Set

Alu. Door with Mechanical Lock: 1 Set

Alu. Window: 2 Sets

Top Alu. Alloy Connecting Ring: 1 Set

Installation Kits: 1 Set

Optional Configurations

* Manual Curtain System

* RGB LED Lighting

* Base LED Lighting

* Exhaust Fan

* Window Screen for the Door

* Window Screen for the Window

* Electronic Lock

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: L6500 * W3500 * H 2700mm

Area: 20 m

Proposal Application: Restaurants / Cooffe Shop

Main Material: PC + Alu.

Platform size: L7500*W4500mm

Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set

Alu. Alloy Base: 1 Set

Alu. Door with Mechanical Lock: 1 Set

Alu. Window: 2 Sets

Top Alu. Alloy Connecting Ring: 1 Set

Installation Kits: 1 Set

Optional Configurations

* Manual Curtain System

* RGB LED Lighting

* Base LED Lighting

* Exhaust Fan

* Window Screen for the Door

* Window Screen for the Window

* Electronic Lock



Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: L8000 * W3500 * H 2700mm	Area: 25 m
Propasal Application: Restaurants / Cooffe Shop	Main Material: PC + Alu.
Platform size: L9000*W4500mm	Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 3 Sets
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Manual Curtain System	* RGB LED Lighting
* Base LED Lighting	* Exhaust Fan
* Window Screen for the Door	* Window Screen for the Window
* Electronic Lock	

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: L2800 * W1800 * H 2200mm

Area: 5.0m

Propasal Application: Camping

Platform size: L3500*W2500mm

Main Material: PC + Alu.

Service Life: >25 Years

Basic Configurations

Main PC Dome: 1 Set

Alu. Alloy Base: 1 Set

Alu. Door with Electronic Lock: 1 Set

Alu. Window: 2 Sets

Top Alu. Alloy Connecting Ring: 1 Set

Installation Kits: 1 Set

Manual Curtain System: 1 Set

RGB LED Lighting: 1 Set

Screen Window for the Door: 1 Set

Top Sliding Window: 1 Set

Screen Window for the Window: 2 Sets

Top LED Downlight: 1 Piece

Exhaust Fan: 1 Set

Mattress: 1 Set

Installation Kits: 1 Set

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: L7100 * W4000 * H 2900mm

Area: 25 m

Proposal Application: Glamping

Main Material: PC + Alu.

Platform size: L8500*W5000mm

Service Life: >25 Years

Basic Configurations

Infrared Resistance PC Dome: 1 Set

Alu. Alloy Base: 1 Set

Alu. Door with Mechanical Lock: 1 Set

Alu. Window: 3 Sets

Top Alu. Alloy Connecting Ring: 1 Set

Installation Kits: 1 Set

Optional Configurations

* Manual Curtain System

* RGB LED Lighting

* Base LED Lighting

* Exhaust Fan

* Window Screen for the Door

* Window Screen for the Window

* Electronic Lock

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: L6500 * W4500 * H 3200mm

Area: 26m²

Propasal Application: Glamping

Main Material: PC + Alu.

Platform size: L8000*W5000mm

Service Life: >25 Years

Basic Configurations

Infrared Resistance PC Dome: 1 Set

Alu. Alloy Base: 1 Set

Alu. Door with Mechanical Lock: 1 Set

Alu. Window: 2 Sets

Top Alu. Alloy Connecting Ring: 1 Set

Installation Kits: 1 Set

Optional Configurations

* Manual Curtain System

* RGB LED Lighting

* Base LED Lighting

* Exhaust Fan

* Window Screen for the Door

* Window Screen for the Window

* Electronic Lock

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.



Basic Parameters

Size: L8500 * W4500 * H 3200mm	Area: 35 m
Proposal Application: Glamping	Main Material: PC + Alu.
Platform size: L9500*W5500mm	Service Life: >25 Years

Basic Configurations

Infrared Resistance PC Dome: 1 Set	Alu. Alloy Base: 1 Set
Alu. Door with Mechanical Lock: 1 Set	Alu. Window: 4 Sets
Top Alu. Alloy Connecting Ring: 1 Set	Installation Kits: 1 Set

Optional Configurations

* Manual Curtain System	* RGB LED Lighting
* Base LED Lighting	* Exhaust Fan
* Window Screen for the Door	* Window Screen for the Window
* Electronic Lock	

Polycarbonate (PC): Imported from Bayer, Germany. With double-sided 100μ UV coating, 100% UV resistance.

Aluminum Alloy Base: 6063-T5 aluminum alloy with anodizing treatment as well as powder coating, it's anti-corrosion.

New Product

Luxury Customization

Luxury-60180



Large outdoor transparent PC tent, suitable for outdoor restaurants, cafes, botanical landscape gardens, etc.



Size: L18m*W6m*H3m

Area: 108m²

PC + Aluminum



Basic Parameters

Size: L10.5 * W4.5 * H 3.2m

Area: 45m²

Application: 30 People Restaurants / 1-6 People Glamping

Main Material: PC + Alu.

Service Life: >25 Years

Product Applications +++



Product Applications +++



Customized Products and Projects +++

